



**NetRunner™  
WMPV\* Series**



**PatchRunner™ 2  
PR2V\* Series**



**PatchRunner™ 2  
Enhanced with Vertical Patching  
PE2V\* Series**

<b>Description</b>	<b>WMPV</b> organizes cables on the front and rear of the rack. Lightweight and durable.	<b>PR2V</b> organizes high density network cabling. Pre-assembled for lowest installed cost. Full-length metal backbone easily sealed for air containment.	<b>PE2V</b> organizes high density network cabling. Partially assembled for infrastructure configuration versatility. Zero RU vertical mounting for 19" EIA accessories.
<b>Material</b>	Plastic backbone & fingers	Metal backbone & plastic fingers	Metal backbone & plastic fingers
<b>Colors Available</b>	Black	Black and White	Black and White
<b>Doors/Covers Included</b>	Included	Included	Included
<b>Door/Cover Type</b>	Extruded plastic, dual-hinged cover	Metal, push-to-close, dual-hinged door with plastic endcaps	Metal, push-to-close, dual-hinged door with plastic endcaps
<b>Widths Available (in.)</b>	4.9, 6.7	6, 8, 10, 12	6, 8, 10, 12
<b>Single-sided Depths (in.)</b>	6.5, 7.5	12.0	16.3
<b>Dual-sided Depths (in.)</b>	12.0, 13.8	20.7	26.8
<b>Heights Available (RU)</b>	22.5, 45	42, 45, 52	45, 52
<b>Cable Capacity (in.^2)</b>	17.3 – 61.4	45.1 – 165.6	66.1 – 246.0
<b>Cable Capacity‡ (Cat 6A 28 AWG)</b>	321 – 1142	839 – 3079	2053 – 4575
<b>Assembly Required</b>	No	No	Some
<b>Application</b>	Used primarily in telecom rooms	Used primarily in high density telecom rooms and data centers	Used primarily in high density telecom rooms and data centers that desire more cable storage in the same spacial footprint

‡Based on a 0.185 in. cable diameter with 50% fill