

## **EU Declaration of Conformity**

The undersigned representing the following supplier:

Panduit Corp. World Headquarters 18900 Panduit Drive Tinley Park, IL 60487 USA



Herewith declare under our sole responsibility:

Our product(s):

Cable Ties

Product identification:

Refer to Annex A

These products are in conformity with the provisions of the following EU Directives when used accordance with the instructions contained in the product documentation.

2014/35/EU

Low Voltage Directive

And that the standards referenced below have been applied:

EN62275: 2015

Cable Management systems- Cable ties for electrical installations

Year of CE marking:

1996

The authorized representative located within the community maintains a copy of the technical documentation required by the directives: Panduit Gmbh, Am Kronberger Hang 8, 65824 Schwalbach, Germany, Phone: +49(0)6995096129, E-mail: EMEA-CustomerServices@panduit.com.

I hereby declare that the product named above meets the essential requirements of, is in conformity with, and the CE mark has been applied according to, the relevant EC directives listed above using the relevant sections of the EC standards and other normative documents listed above.

Christopher S. Clancy

VP, Legal & General Counsel

Panduit Corp.

Date: 10/31/2019

Place: Tinley Park, Illinois, USA

FORM C2-0417 DATE: 14MAR18 APPR: GKH REF PROC C1-0417

## Annex A

Dome-Top® Barb Ty Clamp Ties: BC\*

Dome-Top® Barb Ty Marker and Flag Ties: BF\*, BM\*, BxM\*,

Dome-Top® Barb Ty Mount Ties: BP\*

Dome-Top® Barb Ty Cable Ties: BT\*

Dome-Top® Barb Ty Wing Push Mount Ties: BW\*

Pan-Ty® Locking Cable Tie with Adhesive Mount: PLA\*

Pan-Ty® Double Loop Cable Ties: PLB\*, PLxB\*

Pan-Ty® Locking Clamp Ties: PLC\*

Pan-Ty® Flag Tie: PLF\*

Pan-Ty® Marker Tie: PLM\*, PLxM\*

Pan-Ty® Locking Push Mount Ties: PLP\*

Pan-Ty® Stud Mounted Cable Ties: PLST\*

Pan-Ty® Locking Ties: PLT\*

Pan-Ty® Locking Umbrella Push Mount Ties: PLUP\*

Pan-Ty® Locking Wing Push Mount Ties: PLWP\*

Pan-Ty® Releasable Cable Ties with Adhesive Mounts: PRA\*

Pan-Ty® Ladder Style Releasable Wing Push Mount Ties: PRLWP\*

Pan-Ty® Ladder Style Stud Mounted Cable Ties: PRST\*

Pan-Ty® Releasable Cable Ties: PRT\*

Pan-Ty® Releasable Wing Push Mount Ties: PRWP\*

Sta-Strap® Bow-Ty<sup>™</sup> Cable Ties: SSB\*

Sta-Strap® Clamp Ties: SSC\*

Sta-Strap® Marker Ties: SSM\*

Sta-Strap® Chassis/Panel Mount Ties: SSPM\*

Sta-Strap® Cable Ties, Releasable: SST\*

Super-Grip® Cable Ties: SG\*

Hyper-V<sup>™</sup> In-Line Cable Ties: HV\*

Ultimate Contour-Ty® Marker Ties: UICBM\*

Belt-Ty<sup>™</sup> In-Line Locking Ties: ILT\*

Contour-Ty® Cable Ties: CBR\*

Dura-Ty<sup>™</sup> Cable Ties: DT\*

Belt-Ty<sup>™</sup> In-Line Cable Ties: IT\*

Cable Marker Straps: CM\*
Double Hose Clamps: DHC\*

Cable Tie Kits: KB\*

FORM C2-0417 DATE: 14MAR18 APPR: GKH REF PROC C1-0417

## ANNEX A Page 2

Elastomeric Cable Ties: ERT\*

Ny-Ty Cable Ties: P\*, PC\*, PR\*, PM\* StrongHold<sup>TM</sup> Cable Ties: S\*, SC\*, SR\*

Where "x" can be a number indicating the number of ties per wrap, and \* can be multi-digit alphanumeric codes and "-" indicating one or more of the following: length, width, thickness, nominal hole diameter, maximum panel thickness, maximum bundle diameter, minimum loop tensile strength, packaging size, material, color, application environment (weather resistance), screw size/metric screw size as applicable.

FORM C2-0417 DATE: 14MAR18 APPR: GKH REF PROC C1-0417