



## G5 Upgrade Tool, v2.2.1.0 – General Release

## Contents

- General ..... 2
- Supported Hardware ..... 3
  - Tested Application Compatibility ..... 3
  - Supported Operating system ..... 3
  - Released Production Files ..... 3
    - Product Upgrade ..... 3
- New Features ..... 4
  - New Features added in version 2.2.1.0 ..... 4
  - New Features added in version 2.2.0.1 ..... 4
  - New Features added in version 2.1.1.0 ..... 4
  - New Features added in version 2.0.0.0 ..... 4
- Resolved Issues ..... 5
  - Issues resolved by version 2.2.1.0 ..... 5
  - Issues resolved by version 2.2.0.1 ..... 5
  - Issues resolved by version 2.1.1.0 ..... 6
  - Issues resolved by version 2.0.0.0 ..... 6
- Outstanding Issues ..... 7
  - New Issues ..... 7
  - Existing Issues ..... 7
- Release History ..... 8

## General

These release notes are intended for the G5 Upgrade Tool software application. The G5 Upgrade Tool will upgrade 1 to many PDUs, push the configuration to a range of PDUs and will take a custom CSV file and configure list of PDUs with the details. The G5 Upgrade Tool provides both a GUI and a CLI.

## Supported Hardware

### Tested Application Compatibility

<i>Hardware</i>	<i>Minimum Required Firmware to support Release</i>	<i>Notes</i>
G5 Network Enabled PDU	V3.1.10	Upgrade from 2.x.x is supported Configuration is support on version 3.1.10

### Supported Operating system

Windows 10 and newer

### Released Production Files

#### Product Upgrade

##### *Image Information*

Filename: junk/G5-Upgrade-Tool-2-2-1-0-Windows.zip

Version: 2.2.1.0

CRC32: 2288c43c

MD5: 6570d031ef0d9f8bac206a1516fcf459

SHA256: ce9a0bdf14597a56bc484b3274e8b42f0cb16731b9ad2fb75f6d994e160d5fe9

SHA512:

0a1ba647a0afa0ca826c15b15bef47ac061b69783cbfc79cd2d4b015b56244e7313adb6436586

b16be90e7a3c4ceb54354b5cedfbd5884f06c3959e68dfd6dc

Filesize: 26821432 bytes

## New Features

### New Features added in version 2.2.1.0

- Primary features of Windows GUI are available on the CLI.
- Documentation on Protocol & Port usage.

### New Features added in version 2.2.0.1

- Exposed the conf.ini and config.csv internal operations of GUT via CLI. Exposed names.csv function via CLI.
- SNMP v2 security improvement – use random credentials and use the IP address of the host running GUT.
- config.csv supports configuring the Sensor Name.

### New Features added in version 2.1.1.0

- General Maintenance to support running in CentOS environment.

### New Features added in version 2.0.0.0

- Ability to push a conf.ini file to many PDUs.
- Ability to configure unique system configuration (e.g. rack location and outlet names) through a CSV for individual cabinets. For complete list see completeCSV\_g5mvp.csv

# Resolved Issues

## Issues resolved by version 2.2.1.0

<i>Issue ID</i>	<i>Title</i>
AS-49	Downgrade option must work for both GUI and CLI incantations.
AS-44	Document ports and protocols used by G5-Upgrade-Tool.
AS-40	CLI: If no "--addr" is specified and no 'ip.txt' file exists, do not start an operation that requires an IP address.
AS-38	Fix copy/paste in CentOS documentation window.
AS-28	Add Linux package signing enduser documentation.
AS-21	Fix copy/paste in documentation/licenses.
AS-20	Fix copy/paste in Results box.

## Issues resolved by version 2.2.0.1

<i>Issue ID</i>	<i>Title</i>
AS-43	Support the ability to change sensor names in LBT
AS-42	GUT configuration upload using CSV file: sometimes the PDU ignores the DHCP setting and sets PDU to the STATIC IP address.
AS-32	Primary GUI features were added to the CLI.
AS-32	The --namecfg names.csv feature was added to the CLI.
AS-31	config.csv: SNMP v2 configuration now writes to all 5 Managers, instead of always writing the first one.
AS-31	SNMP v2 access security has been improved. When SNMP v2 is required to perform an operation, the GUT tool discovers the IP of the GUT host as seen by the PDU and uses it; also, the GUT tool generates random READ/WRITE community strings and then restores the community strings when done.
AS-26	If no --addr are passed to the GUT CLI and there are empty lines in the ip.txt file, the tool will generate an erroneous failure message. Workaround: Do not put empty lines in ip.txt.
AS-18	GUTv2 CENTOS had intermittent failures while configuring PDU. Worked on subsequent tries. Now will only emit an error message if the written outlet name change did not match.
AS-17	State management of login/logout was improved to fix an authentication issue.
AS-16	In config.csv, the Cabinet Number field is only processed if it has an IP address.

**AS-0018** GUTv2 CENTOS had intermittent failures while configuring PDU. Worked on subsequent tries.

There could be failures while running the CSV configuration.

*Workaround:* Rerun the tool until everything passes.

### Issues resolved by version 2.1.1.0

<i>Issue ID</i>	<i>Title</i>
None	

### Issues resolved by version 2.0.0.0

<i>Issue ID</i>	<i>Title</i>
None	

## Outstanding Issues

### New Issues

The following reported problems have been found since the previous release and are still outstanding in this release.

<i>Issue ID</i>	<i>Title</i>	<i>Version</i>	<i>Status</i>

### Existing Issues

The following reported problems were found prior to the previous release and are still outstanding.

<i>Issue ID</i>	<i>Title</i>	<i>Version</i>	<i>Status</i>
AS-27	A loadexternallib feature requires more development.	2.2.0.0	In Dev

## Release History

<b>Revision</b>	<b>Date</b>	<b>Reason for Change</b>
2.2.1.0	May 27, 2022	General Release. Linux, Windows. Linux code signing. CLI on Windows. Linux Copy/Select All fixes. Other bug fixes. Downgrade option fix.
2.2.0.1	May 4, 2022	Limited Release. Add CLI. Fix several bugs.
2.1.1.0	September 20, 2021	Limited Release. Updates to support CentOS7.9
2.0.0.0	June 24, 2021	Added Configuration Support
1.0.3.0	January 28, 2021	Initial Release – Upgrade only